



ELEVATION NOTES

- THIS DRAWING IS FOR DIAGRAMMATIC PURPOSES ONLY. FOR ACTUAL HANDING AND SWING, REFERENCE FLOOR PLANS.
- DIMENSIONS SHOWN FOR COORDINATION ONLY. EXACT LOCATIONS AND MOUNTING HEIGHTS TO BE FIELD COORDINATED WITH OWNER AND ARCHITECT.
- IF PLENUM INSTALLATION, CONDUIT IS NOT REQUIRED FOR THIS CABLE RUN.
- IF PLENUM INSTALLATION, STUB CONDUIT, w/PULL STRING, 6" ABOVE FINISHED CEILING.
- ALL CONDUIT IS 3/4" UNLESS OTHERWISE NOTED.
- FOR GROUTED DOOR FRAMES, PROVIDE CONDUIT INTO SPECIAL STEEL BOX OR STYROFOAM BLOCK TO FACILITATE BOTH INSTALLATION AND SERVICE.
- FIELD VERIFY ALL EXISTING INSTALLATION.
- ALL NEWLY INSTALLED ITEMS SHALL BE INSPECTED BY UNIVERSITY INSPECTOR.

GA-5

SINGLE DOOR, ALARMED
LOCAL NOISE (SIREN)
EMERGENCY EXIT ONLY
ELEVATION

SCALE: N.T.S.

LBNL ELECTRICAL STANDARDS
SECURITY CARD ACCESS GA-5
SINGLE DOOR, ALARMED LOCAL NOISE (SIREN)

UNIVERSITY OF CALIFORNIA LAWRENCE BERKELEY NATIONAL LABORATORY
FACILITIES DIVISION

DRAWN BY	DATE
CHECKED BY	
APPROVED BY	
CAD FILE PATH	
SCALE NTS	
DRAWING NO. SEC105A	SHEET GA-5
PROJECT NO.	